



Glenn Grieb
Plant Manager
Vivendi Water North America

KIN-BUC LANDFILL
383 MEADOW RD.
EDISON, NJ 08837

TELEPHONE (732) 572-4743
FACSIMILE (732) 572-6294

October 15, 2002

Ms. Grisell V. Diaz-Cotto
Emergency and Remedial Response Division
United States Environmental Protection Agency
Region III
290 Broadway, 19th Floor
New York, NY 10007-1866

Re: September 2001 Discharge Monitoring Report
Leachate Treatment Plant, Operable Unit 1
Kin-Buc Landfill Superfund Site

Dear Ms. Diaz-Cotto:

The September 2001 Discharge Monitoring Report (DMR) for the Leachate Treatment Plant of Operable Unit 1, Kin-Buc Landfill Superfund Site, prepared by U.S. Filter Operating Services is attached. We will provide copies of the DMR to Ian Curtis and Susan Dietrick at the NJDEP.

Should you have any questions concerning the DMR or other site items, please contact me at your earliest convenience at the Kin-Buc site.


Very truly yours,
USFilter Operating Services
On behalf of SCA Services, Inc.,

Glenn Grieb
Plant Manager

Enclosure

cc: Ian Curtis – NJDEP
Susan Dietrick – NJDEP
Stephen Joyce – SCA
Carl Januszkiewicz – Waste Management
Richard Hoyt – USFilter

307594



NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER QUALITY

MONITORING REPORT - TRANSMITTAL SHEET

NJPDDES NO.
*
*NJ Permit Equivalent

REPORTING PERIOD
M o. Y r. M o. Y r.

PERMITTEE: Name: SCA Services, Inc.
Address: 383 Meadow Road
Edison, New Jersey 08817

FACILITY: Name: Kin-Buc Landfill
Address: 383 Meadow Road
Edison, New Jersey 08817
Telephone: 732-572-4743

FORMS ATTACHED (Indicate Quantity of Each)

Operating Exceptions

SLUDGE REPORT-SANITARY
__ T-VWX-007 __ T-VWX-008 __ T-VWX-009
__ EPA Form 3320-1

DYE TESTING YES NO
 __ X

SLUDGE REPORT-INDUSTRIAL
__ T-VWX-010A __ T-VWX-010B

TEMPORARY BYPASSING __ X

DISINFECTION INTERRUPTION __ X

WASTEWATER REPORTS
__ T-VWX-011 __ T-VWX-012 __ T-VWX-013

MONITORING MALFUNCTIONS __ X

GROUNDWATER REPORTS
__ T-VWX-015(A,B) __ T-VWX-016 __ T-VWX-017
__ ELECTRONIC SUBMISSION

UNITS OF OPERATION __ X

OTHER __ X

NPDES DISCHARGE MONITORING
1 EPA Form 3320-1


(Detail any "Yes" on reverse side in appropriate space.)


NOTE: The "Hours Attended at Plant" on the reverse of this sheet must also be completed.

AUTHENTICATION I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

LICENSED OPERATOR

PRINCIPAL EXECUTIVE OFFICER OR
DULY AUTHORIZED REPRESENTATIVE

Name (Printed) Glenn Grieb
Grade & Registry No. N-4; 000212
Signature 

Name (Printed) Glenn Grieb
Title (Printed) Plant Operations Manager
Signature 

Date October 11th 2002

Date October 11th 2002

OPERATING EXCEPTIONS DETAILED

A copy of last months fourth week metals results from Columbia Analytical has been provided.

HOURS ATTENDED AT PLANT MONTH 09 YEAR 02

Day of Month

Licensed Operator

Others

Day of Month

Licensed Operator

Others

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
0	0	8	8	8	8	0	0	8	8	10	8	8	8	5	8
0	0	8	14	14	14	14	8	8	17	14	14	9	16	4	10
17	18	19	20	21	22	23	24	25	26	27	28	29	30		
8	12	9	8	0	0	8	8	8	0	4	0	0	0		
16	16	7	7	15	4	7	10	7	15	15	16	4	7		

COLUMBIA ANALYTICAL SERVICES

Reported: 09/27/02

US FILTER

Project Reference: KINBUC LF AUGUST WEEK 4

Client Sample ID : EFFLUENT COMPOSITE

Date Sampled : 08/27/02 09:22

Order #: 574699

Sample Matrix: WATER

Date Received: 08/28/02

Submission #: R2213207

ANALYTE	METHOD	PQL	RESULT	UNITS	DATE ANALYZED	DILUTION
ALUMINUM	200.7	0.100	0.100 U	MG/L	09/25/02	1.0
ARSENIC	200.7	0.0100	0.0100 U	MG/L	09/25/02	1.0
CADMIUM	200.7	0.00500	0.00500 U	MG/L	09/25/02	1.0
CHROMIUM	200.7	0.0100	0.0100 U	MG/L	09/25/02	1.0
COPPER	200.7	0.0200	0.0200 U	MG/L	09/09/02	1.0
IRON	200.7	0.100	0.100 U	MG/L	09/25/02	1.0
LEAD	200.7	0.0500	0.0500 U	MG/L	09/10/02	1.0
NICKEL	200.7	0.0400	0.0400 U	MG/L	09/25/02	1.0
ZINC	200.7	0.0200	0.0200 U	MG/L	09/10/02	1.0

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

FACILITY
LOCATION

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT
PERMIT NUMBER

001
DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
02	09	01		02	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.038801	0.048928	MGD	*****	*****	*****	***	***	continuous	flow meter
	PERMIT REQUIREMENT	REPORT	ONLY		*****	*****	*****			continuous	flow meter
pH	SAMPLE MEASUREMENT	*****	*****	***	8.06	*****	8.22	S.U.	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		6.0	*****	9.0			weekly	grab
PETROLEUM HYDROCARBONS	SAMPLE MEASUREMENT	*****	*****	***	*****	<1.00	<1.00	mg/l	0	2/month	grab
	PERMIT REQUIREMENT	*****	*****		*****	10	15			2/month	grab
COD	SAMPLE MEASUREMENT	25.13	26.80	kg/day	*****	143	152	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT	ONLY			2/month	comp.
BOD	SAMPLE MEASUREMENT	*****	*****	***	*****	15.30	25.60	mg/l	0	2/month	comp.
	PERMIT REQUIREMENT	*****	*****		*****	56	220			2/month	comp.
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	1.7819	2.2758	kg/day	*****	10.75	13.00	mg/l	0	1/week	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	30	45(1)			weekly	comp.
DISSOLVED OXYGEN	SAMPLE MEASUREMENT	*****	*****	***	6.91	*****	*****	mg/l	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		4.0 MIN. Instantaneous	*****	*****			weekly	grab
NAME/TITLE, PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		02 10 11		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR MO DAY		

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817


KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT
PERMIT NUMBER

001
DISCHARGE NUMBER

MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
02 09 01 02 09 30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
BENZENE	SAMPLE MEASUREMENT	<0.00004	<0.00004	kg/day	*****	<0.22	<0.22	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.009	0.02		*****	57	194					
CHLOROBNZENE	SAMPLE MEASUREMENT	<0.00004	<0.00004	kg/day	*****	<0.25	<0.25	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380					
1,1 DICHLOROETHENE	SAMPLE MEASUREMENT	<0.00004	<0.00004	kg/day	*****	<0.24	<0.24	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.003	0.009		*****	22	59					
ETHYLBENZENE	SAMPLE MEASUREMENT	<0.00003	<0.00003	kg/day	*****	<0.18	<0.18	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380					
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00004	<0.00004	kg/day	*****	<0.23	<0.23	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.008	0.025		*****	52	164					
TOLUENE	SAMPLE MEASUREMENT	<0.00004	<0.00004	kg/day	*****	<0.24	<0.24	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.004	0.011		*****	28	74					
1,2-TRANSDICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00006	<0.00006	kg/day	*****	<0.34	<0.34	ug/L	0	2/month	grab	
	PERMIT REQUIREMENT	0.004	0.009		*****	25	80					
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE NUMBER		DATE	
Glenn Grieb Project Manager									732 572-4743		02 10 11	
TYPED OR PRINTED							AREA CODE		NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (REFERENCE ALL ATTACHMENTS HERE)												

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT		001	
PERMIT NUMBER		DISCHARGE NUMBER	
MONITORING PERIOD			
YEAR	MO	DAY	TO
02	09	01	02 09 30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00005	<0.00005	kg/day	*****	<0.26	<0.26	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.010		*****	26	69			2/month	grab
VINYL CHLORIDE	SAMPLE MEASUREMENT	<0.00005	<0.00005	kg/day	*****	<0.28	<0.28	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.008	0.016		*****	52.8	108			weekly	grab
ACENAPHTHYLENE	SAMPLE MEASUREMENT	<0.00004	<0.00004	kg/day	*****	<0.20	<0.20	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)ANTHRACENE	SAMPLE MEASUREMENT	<0.000035	<0.000035	kg/day	*****	<0.20	<0.20	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)PYRENE	SAMPLE MEASUREMENT	<0.000070	<0.000071	kg/day	*****	<0.40	<0.40	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(gh)PERYLENE	SAMPLE MEASUREMENT	<0.000176	<0.000176	kg/day	*****	<1.00	<1.00	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(k)FLUORANTHENE	SAMPLE MEASUREMENT	<0.000016	<0.000016	kg/day	*****	<0.092	<0.093	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		02 10 11		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)
<0.00017

PERMITTEE NAME/ADDRESS

NAME SCA SERVICES, INC.
ADDRESS 383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY KIN-BUC LANDFILL
LOCATION EDISON, NEW JERSEY
ATTN: CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT	001
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
02	09	01	TO	02	09 30

PARAMETER		QUANTITY OR LOAD			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE		
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			YEAR	MO	DAY
IDENO(1,2,3cd) PYRENE	SAMPLE MEASUREMENT	<0.000141	<0.000141	kg/day	*****	<0.80	<0.80	ug/L	0	1/month	grab		
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab		
PHENANTHRENE	SAMPLE MEASUREMENT	<0.000033	<0.000035	kg/day	*****	<0.20	<0.20	ug/L	0	1/week	grab		
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	5.4(2)			weekly	grab		
ALDRIN	SAMPLE MEASUREMENT	<0.000002	<0.000002	kg/day	*****	<0.01	<0.01	ug/L	0	1/month	grab		
	PERMIT REQUIREMENT	0.000133	0.00026		*****	0.0875	0.175			monthly	grab		
4,4-DDT	SAMPLE MEASUREMENT	<0.000002	<0.000002	kg/day	*****	<0.01	<0.01	ug/L	0	1/week	grab		
	PERMIT REQUIREMENT	0.0000576	0.000145		*****	0.36	0.765			weekly	grab		
PCB-1242	SAMPLE MEASUREMENT	<0.000033	<0.000035	kg/day	*****	<0.20	<0.20	ug/L	0	1/week	grab		
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab		
PCB-1248	SAMPLE MEASUREMENT	<0.000033	<0.000035	kg/day	*****	<0.20	<0.20	ug/L	0	1/week	grab		
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab		
PCB-1254	SAMPLE MEASUREMENT	<0.000033	<0.000035	kg/day	*****	<0.20	<0.20	ug/L	0	1/week	grab		
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab		
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years)							TELEPHONE		DATE		
Glenn Grieb Project Manager									732 572-4743		02 10 11		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT							AREA CODE	NUMBER			

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
02	09	01		02	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PCB-1260	SAMPLE MEASUREMENT	<0.000033	<0.000035	kg/day	*****	<0.20	<0.20	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
ARSENIC	SAMPLE MEASUREMENT	<0.000862	<0.000910	kg/day	*****	3.98	5.20	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.013	0.028		*****	85.8	172			weekly	comp
CADMIUM	SAMPLE MEASUREMENT	<0.000066	<0.000071	kg/day	*****	<0.40	<0.40	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.0073	0.017		*****	48.2	112			weekly	comp
CHROMIUM	SAMPLE MEASUREMENT	<0.000462	<0.000494	kg/day	*****	<2.80	<2.80	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.030	0.080		*****	108	338			weekly	comp
COPPER	SAMPLE MEASUREMENT	<0.000355	<0.000405	kg/day	*****	2.2	2.3	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp
LEAD	SAMPLE MEASUREMENT	<0.000254	<0.000385	kg/day	*****	1.5	2.2	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp
NICKEL	SAMPLE MEASUREMENT	0.002658	0.003291	kg/day	*****	16.0	18.8	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.140	0.281		*****	124	1850			weekly	comp
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and I am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319: (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				TELEPHONE		DATE			
Glenn Grieb Project Manager						732 572-4743		02 10 11			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				AREA CODE	NUMBER	YEAR	MO	DAY	

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

FACILITY
LOCATION
ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
02	09	01		02	09	30

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ZINC	SAMPLE MEASUREMENT	0.001572	0.001957	kg/day	*****	9.6	11.2	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.177	0.336		*****	1170	2350			weekly	comp
CYANIDE	SAMPLE MEASUREMENT	<0.001651	<0.001762	kg/day	*****	<0.01	<0.01	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.002	0.004		*****	13.2	26.4			weekly	comp
ALUMINUM	SAMPLE MEASUREMENT	0.013247	0.015532	kg/day	*****	80	88	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	1.40	2.81		*****	9240	18500			weekly	comp
IRON	SAMPLE MEASUREMENT	<0.006553	<0.006999	kg/day	*****	<39.70	<39.70	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	88.8	162		*****	532000	1670000			weekly	comp
ACUTE TOXICITY, (LC50)	SAMPLE MEASUREMENT	QUARTELY	REPORT	***	N/A	*****	*****	%	0		
	PERMIT REQUIREMENT	*****	*****		50(3)	*****	*****			see permit	equivalent
Ammonia	SAMPLE MEASUREMENT	*****	*****	***	*****	0.1550	0.2100	mg/l	0	*****	*****
	PERMIT REQUIREMENT	*****	*****		*****	4.9	10.0			2/month	comp
	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	*****	***	***	*****	*****
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****			*****	*****
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Glenn Grieb Project Manager							732 572-4743		02 10 11		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS

(REFERENCE ALL ATTACHMENTS HERE)